







## ACKNOWLEDGEMENT

Authors would like to appreciate the Ministry of Higher Education Malaysia for the full support given to this work under the fundamental research grant scheme. “Grant Vot 1571” and “Ministry of science Technology and innovation S029”.

## REFERENCES

- Abdul Rahman, A., Latiff, A. A. A., Daud, Z., Ridzuan, M. B., Jagaba, A. H. 2016. Preparation and characterization of activated cow bone powder for the adsorption of cadmium from palm oil mill effluent. *IOP Conference Series: Materials Science and Engineering*, 136(1), 012045.
- Adeleke, A. R. O., Latiff, A., Aziz, A., Daud, Z., Ridzuan, B., Daud, M., Falilah, N. 2016. Remediation of raw wastewater of palm oil mill using activated cow bone powder through batch adsorption. *Key Engineering Materials*, 705, 380-384.
- Adeleke, A. O., Al-Gheethi, A. A., Daud, Z. 2017. Optimization of operating parameters of novel composite adsorbent for organic pollutants removal from POME using response surface methodology. *Chemosphere*, 174, 232-242.
- Amuda, O. S., Giwa, A., Bello, I. A. 2007. Removal of heavy metal from industrial wastewater using modified activated coconut shell carbon. *Biochemical Engineering Journal*, 36(2), 174-181.
- American Public Health Association., Eaton, A. D., American Water Works Association., Water Environment Federation. (2005). *Standard methods for the examination of water and wastewater*. Washington, D.C: APHA-AWWA-WEF.
- Cazetta A. L., Vargas A. M., Nogami E., Kunita M. H., Guilherme M. G., Martins A. C., Silva T. S., Moraes J. C., Almeida. V. C. 2011. NaOH-activated carbon of high surface area produced from coconut shell: Kinetics and equilibrium studies from the methylene blue adsorption. *Chemical Engineering Journal*, 174(1), 117-125.
- Dada, A. O., Olalekan, A. P., Olatunya, A. M., Dada, O. 2012. Langmuir, Freundlich, Temkin and Dubinin–Radushkevich isotherms studies of equilibrium sorption of Zn<sup>2+</sup> onto phosphoric acid modified rice husk. *IOSR Journal of Applied Chemistry*, 3(1), 38-45.
- Gani, P., Sunar, N. M., Matias-Peralta, H., Parjo, U. K., Oyekanmi, A. A. 2017. Green approach in the bio-removal of heavy metals from wastewaters. *MATEC Web of Conferences*, 103, 06007. [https://www.matec-conferences.org/articles/mateconf/pdf/2017/17/mateconf\\_iscee\\_2017\\_06007.pdf](https://www.matec-conferences.org/articles/mateconf/pdf/2017/17/mateconf_iscee_2017_06007.pdf)
- Hamdaoui, O. 2006. Batch study of liquid-phase adsorption of methylene blue using cedar sawdust and crushed brick. *Journal of Hazardous Material*, 135(1), 264–273.
- Katesa, J., Junpiromand, S., Tangsathitkulchai, C. 2013. Effect of carbonization temperature on properties of char and activated carbon from coconut shell. *Qingdao Daxue Shifanxueyuan Xuebao/Journal of Teachers College Qingdao University*, 20(4), 269-278.
- Koreňová, Z., and Jelemenský, L. 2010. Kinetic study of wood chips decomposition by TGA. *Chemical Papers*, 54(2), 174-181.
- Latiff, A., Aziz, A. O., Rahman, O. A. A., Daud, Z., Ridzuan, M. B., Daud, M., Falilah, N. 2015. Batch adsorption of manganese from palm oil mill effluent onto activated cow bone powder. *ARPN Journal of Engineering and Applied Sciences*, 11(4), 2627-2629.
- Liu, S. 2015. Cooperative adsorption on solid surfaces. *Journal of colloid and interface science*, 450, 224-238.
- Lv, Y., Gan, L., Liu, M., Xiong, W., Xu, Z., Zhu, D., Wright, D. S. 2012. A self-template synthesis of hierarchical porous carbon foams based on banana peel for supercapacitor electrodes. *Journal of Power Sources*, 209, 152-157.
- Ma, X., Zhang, F., Zhu, J., Yu, L., Liu, X. 2014. Preparation of highly developed mesoporous activated carbon fiber from liquefied wood using wood charcoal as additive and its adsorption of methylene blue from solution. *Bioresource Technology*, 164, 1-6.
- Mohamed, R., Al-Gheethi, A., Abdulrahman, A., Sainudin, M. S., Bakar, S. A., Kassim, A. H. M. (2018). Optimization of ceramic waste filter for bathroom greywater treatment using central composite design (CCD). *Journal of Environmental Chemical Engineering*, 6(2), 1578-1588.
- Rosli, M. A., Daud, Z., Latiff, A. A. A., A Rahman, S. E., Rahman, O. A. A., Zainorabidin, A., Awang, H., Halim, A. A. (2017). The effectiveness of Peat-AC composite adsorbent in removing color and Fe from landfill Leachate. *International Journal of Integrated Engineering*, 9(3), 35-38.
- kumar, M. S., Binupriya, A. R., Kavitha, D., Kumar, R. S., Jayabalan, R., Choi, J. G., Yun, S. E. 2009. Adsorption potential of maize cob carbon for 2, 4-dichlorophenol removal from aqueous solutions: equilibrium, kinetics and thermodynamics modeling. *Chemical Engineering Journal*, 147(2), 265-271.
- Sekar, M., Sakthi, V., Rengaraj, S. 2004. Kinetics and equilibrium adsorption study of lead (II) onto activated carbon prepared from coconut shell. *Journal of colloid and interface science*, 279(2), 307-313.
- Shen, Y. S., Wang, S. L., Huang, S. T., Tzou, Y. M., Huang, J. H. 2010. Biosorption of Cr (VI) by coconut coir: Spectroscopic investigation on the reaction mechanism of Cr (VI) with lignocellulosic material. *Journal of Hazardous Materials*, 179(1), 160-165.
- Tsai, W. T., Chen, H. R., Kuo, K. C., Lai, C. Y., Su, T. C., Chang, Y. M., Yang, J. M. 2009. The adsorption of methylene blue from aqueous solution using waste agriculture shell powders. *Journal of Environmental Engineering Management*, 19(3), 165-172.