

- Song, S., Tu, J., He Z., Hong, F., Liu, W., Chen, J. 2010. Visible light-driven iodine-doped titanium dioxide nanotubes prepared by hydrothermal process and post-calcination. *Appl. Catal. A*, 378, 169-174.
- Tan., Y. H., Davis, J. A., Fujikawa, K., Ganesh, N. V., Demchenko A. V., Stine, K. J. 2012. Surface area and pore size characteristics of nanoporous gold subjected to high thermal, mechanical, or surface modification studied using gas adsorption isotherms, cyclic voltammetry, thermogravimetric analysis, and scanning electron microscopy, *J. Mater. Chem.*, 22, 6733-6745.
- Tsai, C., Teng, H. 2004. Regulation of the physical characteristics of titania nanotube aggregates synthesized from hydrothermal treatment. *Chem. Mater.*, 16, 4352-4358.
- Wang, H. E., Chen, Z., Leung, Y., Luan, C., Liu, C. Tang, Y., Yan, C., Zhang, W., Zapien, J., Bello, I., Lee, S. T. 2010. Hydrothermal synthesis of ordered single-crystalline rutile TiO₂ nanorod arrays on different substrates. *Appl. Phys. Lett.*, 96, 263-264.
- Watts, M. 2012. Highly hazardous pesticides: Paraquat. *PAN AP Factsheet Series; Pesticide Action Network Asia and the Pacific*, 1-2.
- Wu, D., Liu, J., Zhao, X., Li, A., Chen Y., Ming, N. 2006. Sequence of events for the formation of titanate nanotubes, nanofibres, nanowires and nanobelts. *Chem. Mater.*, 18, 547-553.
- Yu, J. G., Yu, H. G., Cheng, B., Zhao, X. J., Yu, J. C., Ho, W. K. 2003. The effect of calcination temperature on the surface microstructure and photocatalytic activity of TiO₂ thin films prepared by liquid phase deposition. *J. Phys. Chem. B*, 107, 13871-13879.